17797

New York University

Courant Institute of Mathematical Sciences ARPA Network Information Center
AEC Computing and Applied Mathematics Center Stanford Research Institute

251 Mercer Street Menlo Park, California . New York, N.Y. 10012 . RFC #551

Yeshiah Feinroth - NYU
Robert Fink - LBL L ~_

August 27, 1973

Several Atomic Energy Commission installations are planning to enter
the network in the (hopefully) near future. These sites include Argon~e National Laboratory (IB:l 360/195), Lawrence Berkeley Labs, (CDC 7600),
and New York University (CDC 6600). Our applications make early irnpl~entation of an RJE facility L~perative, and although we are resigned to the
necessity of implerr:enting FTP, we would like to avoid RJE protocol at
least in the first go-around. We would like to be able to use FTP to
transfer a file, have it queued for execution, and return output and
status information.

To this end we propose to implement local conventions within the
- site dependent PAl1iXAHE parameter of the FTP. Specifically, the fo l l.owIng commands are specified:

STOR RJE.JOB<rest of pathname> queue this file for execution
(STOR/RETR) RJE.PR < > transfer remote job print file
" II II (STOR/RETR) RJE. PU < > punch "
(STOR/RETR) RJE.MT < > II II magt~pe " "

RETR RJE.STAT < > retrieve status of remote .j ob

The job execution parameters are not part of the protocol, but must
be specified in the standard site dependent control cards which are trans-mitted